

HIGH VELOCITY HURRICANE ZONES — UNIFORM PERMIT APPLICATION

Florida Building Code Edition 2014 High Velocity Hurricane Zone Uniform Permit Application Form
--

INSTRUCTION PAGE

COMPLETE THE NECESSARY SECTIONS OF THE UNIFORM ROOFING PERMIT APPLICATION FORM AND ATTACH THE REQUIRED DOCUMENTS AS NOTED BELOW:

Roof System	Required Sections of the Permit Application Form	Attachments Required See List Below
Low Slope Application	A,B,C	1,2,3,4,5,6,7
Prescriptive BUR-RAS 150	A,B,C	4,5,6,7
Asphaltic Shingles	A,B,D	1,2,4,5,6,7
Concrete or Clay Tile	A,B,D,E	1.2.3.4.5,6,7
Metal Roofs	A,B,D	1,2,3,4,5,6,7
Wood Shingles and Shakes	A,B,D	1,2,4,5,6,7
Other	As Applicable	1,2,3,4,5,6,7

ATTACHMENTS REQUIRED:

1.	Fire Directory Listing Page
2.	From Notice Of Acceptance: Front Page Specific System Description Specific System Limitations General Limitations Applicable Detail Drawings
3.	Design Calculations per Section R4403, or If Applicable, RAS 127 or RAS 128
4.	Other Component Notice of Acceptances
5.	Municipal Permit Application
6.	Owners Notification for Roofing Considerations (Re-Roofing Only)
7.	Any Required Roof Testing Calculation Documentation

Florida Building Code Edition 2014
High Velocity Hurricane Zone · Uniform Roofing Application Form

Section A (General Information)

Master Permit No. _____ Process No. _____

Contractor's Name: _____

Job Address : _____

ROOF CATEGORY

- | | | |
|---|---|---|
| <input type="checkbox"/> Low Slope | <input type="checkbox"/> Mechanically Fastened Tile | <input type="checkbox"/> Mortar / Adhesive Set Tile |
| <input type="checkbox"/> Asphaltic Shingles | <input type="checkbox"/> Metal Panel / Shingles | <input type="checkbox"/> Wood Shingles / Shakes |
| <input type="checkbox"/> Prescriptive BUR-RAS 150 | | |

ROOF TYPE

- New Roof Reroofing Recovering Repair Maintenance

ROOF SYSTEM INFORMATION

Low Slope Area (SF)

Steep Sloped Roof Area (SF)

Total Area (SF)

Section B (Roof Plan)

Sketch Roof Plan: Illustrate all levels and sections, roof drains, scuppers, overflow scuppers and overflow drains. Include dimensions of sections and levels, clearly identify dimensions of elevated pressures zones and location of parapets.

A large grid for sketching the roof plan, consisting of 30 columns and 30 rows of small squares.

Section C (Low Sloped Roof System)

Fill in Specific Roof Assembly Components and Identify Manufacturer

(If a component is not used, identify as "NA")

System Manufacturer: _____

NOA No.: _____

Pages (Indicate applicable NOA pages) : _____

Design Wind Pressures, From RAS 128 or Calculations:

Pmax1: _____ Pmax2: _____ Pmax3: _____

Max. Design Pressure, From the Specific NOA

System: _____

Deck:

Type: _____

Gauge/Thickness: _____

Slope: _____

Anchor/Base Sheet & No. of Ply(s): _____

Anchor/Base Sheet Fastener/Bonding Material:

Insulation Base Layer: _____

Base Insulation Size and Thickness: _____

Base Insulation Fastener/Bonding Material:

Top Insulation Layer: _____

Top Insulation Size and Thickness: _____

Top Insulation Fastener/Bonding Material:

Base Sheet(s) & No. of Ply(s): _____

Base Sheet Fastener/Bonding Material:

Ply Sheet(s) & No. of Ply(s): _____

Ply Sheet Fastener/Bonding Material:

Top Ply: _____

Top Ply Fastener/Bonding Material:

Surfacing: _____

Fastener Spacing for Anchor/Base Sheet Attachment

Field: _____" oc @ Lap, # Rows _____ @ _____" oc

Perimeter: _____" oc @ Lap, # Rows _____ @ _____" oc

Corner: _____" oc @ Lap, # Rows _____ @ _____" oc


Number of Fasteners Per Insulation Board

Field: _____ Perimeter _____ Corner _____

Illustrate Components Noted and Details as Applicable:

Wood blocking , Gutter, Edge Termination, Stripping Flashing, Continuous Cleat, Cant Strip, Base Flashing, Counter-Flashing, Coping, Etc.

Indicate: Mean Roof Height, Parapet Height, Height of Base Flashing, Component Material, Material Thickness, Fastener Type , Fastener Spacing or Submit Manufacturer's Details that Comply with RAS 111 and Chapter 16.



Florida Building Code Edition 2014
High Velocity Hurricane Zone · Uniform Roofing Application Form
Section D (Steep Sloped Roof System)

Roof System Manufacturer: _____
Product Approval Number: _____
Minimum Design Wind Pressures, If Applicable (From RAS 127 or Calculations): P1: _____ P2: _____ P3: _____
Maximum Design Pressure Product Approval Specific System: _____
Method of Tile Attachment: _____

Steep Sloped System Description

Roof Slope: _____: 12	Deck Type: _____
	Type Underlayment: _____
	Insulation: _____
	Fire Barrier: _____
	Fastener Type & Spacing: _____
Ridge Ventilation? _____	Adhesive Type: _____
	Type Cap Sheet: _____
Mean Roof Height: _____	Roof Covering: _____
	Type & Size Drips Edge: _____

**Florida Building Code Edition 2014
High Velocity Hurricane Zone Uniform Permit Application Form**

Section E (Tile Calculations)

For Moment based tile systems, choose either Method 1 or 2. Compare the values for M_r with the values from M_f . If the M_r values are greater than or equal to the M_f values, for each area of the roof, then the tile attachment method is acceptable.

Method 1 “Moment Based Tile Calculations Per RAS 127”

(P_1 : _____ x λ _____ = _____) - Mg: _____) = M_{r1} _____ Product Approval M_r _____

(P_2 : _____ x λ _____ = _____) - Mg: _____) = M_{r2} _____ Product Approval M_r _____

(P_3 : _____ x λ _____ = _____) - Mg: _____) = M_{r3} _____ Product Approval M_r _____

Method 2 “Simplified Tile Calculation Per Table Below”

Required Moment of Resistance (M_r) From Table Below _____ Product Approval M_f _____

M_f Required Moment Resistance*					
Mean Roof Height →	15'	20'	25'	30'	40'
Roof Slope ↓					
2:12	34.4	36.5	38.2	39.7	42.2
3:12	32.2	34.4	36.0	37.4	39.8
4:12	30.4	32.2	33.8	35.1	37.3
5:12	28.4	30.1	31.6	32.8	34.9
6:12	26.4	28.0	29.4	30.5	32.4
7:12	24.4	25.9	27.1	28.2	30.0

*Must be used in conjunction with a list of moment based tile systems endorsed by the Broward County Board of Rules and Appeals.

For Uplift based tile systems use Method 3. Compare the values for F' with the values for F_r . If the F' values are greater than or equal to the F_r values, for each area of the roof, then the tile attachment method is acceptable.

Method 3 “Moment Based Tile Calculations Per RAS 127”

(P_1 : _____ x 1: _____ = _____ x w:= _____) W: _____ x cos Θ : _____ = F_{r1} _____ Product Approval M_r _____

(P_2 : _____ x 1: _____ = _____ x w:= _____) W: _____ x cos Θ : _____ = F_{r2} _____ Product Approval M_r _____

(P_3 : _____ x 1: _____ = _____ x w:= _____) W: _____ x cos Θ : _____ = F_{r3} _____ Product Approval M_r _____

Where to Obtain Information		
Description	Symbol	Where to find
Design Pressure	P_1 or P_2 or P_3	RAS 127 Table 1 or by an engineering analysis prepared by PE based on ASCE 7
Mean Roof Height	H	Job Site
Roof Slope	Θ	Job Site
Aerodynamic Multiplier	λ	Product Approval
Restoring Moment due to Gravity	M_g	Product Approval
Attachment Resistance	M_r	Product Approval
Required Moment Resistance	M_r	Calculated
Minimum Attachment Resistance	F'	Product Approval
Required Uplift Resistance	F_r	Calculated
Average Tile Weight	W	Product Approval
Tile Dimensions	l = length w = width	Product Approval

All calculations must be submitted to the Building Official at the time of permit application.

SECTION 1524
FBC 2014 (5TH EDITION) HIGH VELOCITY HURRICANE ZONES
REQUIRED OWNERS NOTIFICATION FOR ROOFING CONSIDERATIONS

1524.1 Scope. As it pertains to this section, it is the responsibility of the roofing contractor to provide the owner with the required roofing permit, and to explain to the owner the content of this section. The provisions of this chapter govern the minimum requirements and standards of the industry for roofing system installations. Additionally, the following items should be addressed as part of the agreement between the owner and the contractor. The owner's initial in the designated space indicates that the item has been explained.

1. Aesthetics-Workmanship: Reserved

2. Renailing Wood Decks: When replacing roofing, the existing wood roof deck may have to be renailed in accordance with the current provisions of Chapter 16 (High-Velocity Hurricane Zones) of this code. (The roof deck is usually concealed prior to removing the existing roof system).

3. Common Roofs: Reserved

4. Exposed Ceilings: Exposed, open beam ceilings are where the underside of the roof decking can be viewed from below. The owner may wish to maintain the architectural appearance; therefore, roofing nail penetrations of the underside of the decking may not be acceptable. This provides the option of maintaining this appearance.

5. Ponding Water: Reserved

6. Overflow scuppers (wall outlets): It is required that rainwater flow off so that the roof is not overloaded from a buildup of water. Perimeter/edge walls or other roof extensions may block this discharge if overflow scuppers (wall outlets) are not provided. It may be necessary to install overflow scuppers in accordance with the requirements of Chapter 15 and 16 herein and the *Florida Building Code, Plumbing*.

7. Ventilation: Reserved

Property Address: _____ Miramar, FL _____

Owner's/Agent's Signature

_____/_____/20_____
Date

Contractor's Signature